



Hot, Cold & Room Temperature Water

Blue Star introduces a new range of Storage Water Dispenser - Platinum Series. The first of its kind in India, these dispensers come with an in-built hot water faucet. They also dispense Cold Water and Room Temperature Water along with the option of UV & RO+UV purification. The Platinum Series is the one stop solution for all drinking water requirements.

FEATURES



Smart and ergonomical design



Cold/room temperature water



Hot water faucet with child lock



LED display



UV & RO+UV purification



Faster cooling



Eco-friendly refrigerant



In-situ power saving PUF insulation





Sturdy Compressor for trouble free operation



Nationwide Blue Star network for prompt service



Last point purification



Electronic eye



Fully automatic



Food grade SS Tank



PP outer body



Smart logic and troubleshooting

Technical Specifications

	Description	P6080E-SL	P6080UVE-SL	P6080UVROE-SL
Performance Parameters	Storage Capacity (L)	80 ltr	80 ltr	80 ltr
	Capacity with Comfort Level Water Outlet Temp at 18°C at Rated Condition (L/hr)	60 LPH	60 LPH	60 LPH
	Storage Capacity - Cold	65	65	65
	Storage Capacity - Ambient	15	15	15
	Storage Capacity - Hot	2	2	2
	Total Running Current (A)	7.5	10	12.5
	Total Power (W)	1575	1630	1700
	Thermal Insulation for Tank	PUF	PUF	PUF
Filtration Stages	No. of Faucets (Cold/Hot/Plain)	1/1/1	1/1/1	1/1/1
	No. of Stages for Filter-cum-Purifier	-	1) Pre-Filtration 2) Pre-Carbon 3) Post-Filtration	1) Pre-Filtration 2) Pre-Carbon 3) Post-Filtration 4) RO 5) Post-Carbon"
UV	UV Purification	-	Yes, Last Stage	Yes, Last Stage
RO System	RO Membrane Rating (L/hr)	-	-	400
	RO Membrane Operating Temperature	-	-	15°C to 45°C
	RO Membrane Flushing	-	-	Every 12 hours
	RO System and Water Cooler Operating Voltage	-	-	220-240 V
Body	Storage Tank Material	SS304	SS304	SS304
	Outer Body Material	Pre Painted Sheet	Pre-Painted Sheet	Pre-Painted Sheet
	Type of Product Construction	Concealed	Concealed	Concealed
	Type of Installation	Indoor	Indoor	Indoor
	Top Lid Type	Hinged	Hinged	Hinged
Dimensions and Net Weight	Dimension (W x D x H) mm	660 x 575 x 1575	660 x 575 x 1575	660 x 575 x 1575
	Net Weight (Kg)	55	63	69
	Refrigerant	R134a	R134a	R134a
	Colour Options	Silver	Silver	Silver